No.



200100282

HIE UNHERD SHAVIES OF AVIERION

TO ALL TO WHOM THESE; PRESENTS SHAWL COME;

Pioneer Hi-Bred International, Inc.

MILETERS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN BUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY ACTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT, COMMON

'25R23

In Testimone Marreof, I have hereunto set my hand and caused the seal of the Hunt Harreto Protection Office to be affixed at the City of Washington, D.C. this ninth day of April, in the year two thousand two.

Oa Com Jakal

Commissioner Plant Variety Protection Office Agricultural Marketing Service aeman Diculture U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions and information	collection burden statement	on reverse)	(1.0.0.0.242)	j. miorination is nelo contraential	umi cerancate	e is issued (1 0.5.0. 2420).		
1. NAME OF OWNER				2. TEMPORARY DESIGNAT EXPERIMENTAL NAME	ION OR	3. VARIETY NAME		
Pioneer Hi-Bred International, Inc.				EXPERIMENTAL NAME		25R23		
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)				5. TELEPHONE (Include are	a code)	FOR OFFICIAL USE ONLY		
Crop Genetics Re	esearch & Devel	opmen	t	(765) 945-7	906	PVPO NUMBER		
Wheat Research 3850 N. 100 E.				6. FAX (include area code)		282001005		
Windfall, IN 46	5076-9389		•	(765) 945-83	.12	000,000		
		***************************************		(703) 343-03		FILING DATE		
 IF THE OWNER NAMED IS NOT A "PERSORGANIZATION (corporation, partnership, 	ON", GIVE FORM OF association, etc.)	8. IF INCOF	RPORATED, GIVE F INCORPORATION	9. DATE OF INCORPORATION	ON	0-12-2001		
Corporation			owa	May 1926		9-12-2001		
10. NAME AND ADDRESS OF OWNER REPI	RESENTATIVE(S) TO SERVE IN THI	S APPLICATIO	N. (First person listed will	receive all papers)		FILING AND EXAMINATION FEES:		
Dr. Gregory C. M	Tarshall				Į			
Pioneer Hi-Bred		Inc.			F	01.5		
Wheat Research					F	DATE 9/12/01		
3850 N. 100 E. Windfall, IN 46	076-9389					CERTIFICATION FEE:		
· · · · · · · · · · · · · · · · · · ·	.0,0 3303					320		
					.	DATE 3//02		
11. TELEPHONE (include area code)	12. FAX (Include area code)	1	3. E-MAIL		14. CROP	KIND (Common Name)		
(765) 945,-7906	(765) 945-831	.3	Greg.Marshal	l@Pioneer.com	V	Wheat		
15. GENUS AND SPECIES NAME OF CROP		1	6. FAMILY NAME (Botar	icat)	17. IS THE	VARIETY A FIRST GENERATION		
Triticum aestivu	m		gramineae		HYBRII	D? ☑YES ☑XINO		
18. CHECK APPROPRIATE BOX FOR EACH reverse)	ATTACHMENT SUBMITTED (Follow	instructions on		OWNER SPECIFY THAT SEED (D SEED? See Section 83(a) or	OF THIS VAR	RETY BE SOLD AS A CLASS OF		
a. Exhibit A. Origin and Breeding	History of the Variety							
 b. X Exhibit B. Statement of Distinct c. X Exhibit C. Objective Description 			20 DOES THE	20. DOES THE OWNER SPECIFY THAT SEED OF THIS YES NO				
d. X Exhibit D. Additional Description	•		VARIETY B	VARIETY BE LIMITED AS TO NUMBER OF CLASSES? IF YES, WHICH CLASSES? FOUNDATION REGISTERED CERTIFIED				
e. Exhibit E. Statement of the Bas	•	a. ad a. a. ============================	IF 1E3, \$41					
 Voucher Sample (2,500 viable u verification that tissue culture wi repository) 	intreated seeds or, for tuber propagat Il be deposited and maintained in an a	ed vaneties, approved public	21. DOES THE VARIETY B	OWNER SPECIFY THAT SEED (IE LIMITED AS TO NUMBER OF (OF THIS GENERATION	NS? NO		
g. X Filing and Examination Fee (\$2, States" (Mail to the Plant Variety	705), made payable to "Treasurer of to Protection Office)	the United		IF YES, SPECIFY THE FOUNDATION REGISTERED CERTIFIED				
				(If additional explanation is necessary, please use the space indicated on the reverse.)				
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U. S. OR OTHER COUNTRIES?				RIETY OR ANY COMPONENT OF Y RIGHT (PLANT BREEDER'S RIG	THE VARIET	TY PROTECTED BY INTELLECTUAL ENT/?		
☐ YES	NO X			YES	Č	NO NO		
IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)				EASE GIVE COUNTRY, DATE OF E NUMBER. (Please use space i	FILING OR IS Indicated on re	SSUANCE AND ASSIGNED everse.)		
24. The owners declare that a viable sample of for a tuber propagated variety a tissue culti-	f basic seed of the variety will be furni ure will be deposited in a public repo	shed with appli sitory and main	cation and will be replenis tained for the duration of the	hed upon request in accordance y	vith such regu	lations as may be applicable, or		
The undersigned owner(s) is(are) the owner and is entitled to protection under the provi	er of this sexually reproduced or tuber sions of Section 42 of the Plant Varie	propagated plate ty Protection Ar	ant variety, and believe(s)	that the variety is new, distinct, un	iform, and sta	able as required in Section 42,		
Owner(s) is(are) informed that false repres		•						
SIGNATURE OF OWNER	100		SIGNATURE OF	F OWNER				
Gregory C. Marshall								
NAME (Phese printfor type)			NAME (Please)	arint or type)	***************************************			
Gregory C. Marshall						- William		
APACITY OR TITLE	DATE		CABACITY OR	T1773 62		D.75		

Coordinator of Wheat Research

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,705 (\$320 filing fee and \$2,385 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$320 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

ITEM

18a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/lsg/seed/ls-sd.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

S&T-470 (04-01) designed by the Plant Variety Protection Office with WordPerfect 6.0a. Reptaces STD-470 (02-99) which is obsolete.

18A. Exhibit A. Origin and Breeding History of Pioneer Wheat Cultivar 25R23.

Pioneer[®] cultivar '25R23', a soft red winter wheat (Triticum aestivum L.) was developed by Pioneer Hi-Bred Int'l., Inc.. Using a modified pedigree selection breeding method, 25R23 was derived from the cross:

Pioneer line WBB318T2/2548//2510

WBB318T2 was an experimental line derived from the cross: Pioneer line W0005B/Pioneer line W00026//Pioneer line W9032B. Pioneer line W0005B was derived from the cross: Mexico 5/IN4946A4//Mo W7718/3/Pioneer line W558. Pioneer line W0026 was derived from the cross: GA 80/Mo W7358//S76. Pioneer line W9032B was derived from the cross IN4946A4/Mo W7470//Pioneer line W521. The specific pedigrees of W521 and W558 are not known but consist of three quarters soft red winter wheat and one quarter CIMMYT spring wheat. The detailed parentage of 25R23 is:

Mexico 5/IN4946A4//Mo W7718/3/Pioneer line W558/GA 80/Mo W7358//S76//IN4946A4/Mo W7470//Pioneer line W521/3/2548/4/2510.

The single cross WBB318T2/2548 was made in the 1989 spring greenhouse cycle and was designated WBK1390. During the 1989 fall greenhouse cycle the F_1 , WBK1390, was crossed with 2510 and the final cross designated WBL0476. The subsequent breeding history of 25R23 is described below.

<u>Year</u>	Generation	
1989	Final cross	
1990	F ₁	F ₁ grown in transplant nursery at Windfall IN.
1990-91	F ₂	Bulk populations grown at Windfall and Ft. Branch, IN. Individual spike selections made at Windfall, IN.
1991-92	F ₃	Headrows from F_2 selections grown at Ft. Branch, IN and Windfall, IN. Selected rows cut and threshed individually.
1992-93	F ₄	A 3 row X 3-meter observation plot was planted at Windfall and Ft. Branch, IN. A meter section of the center row was harvested from each selected plot and threshed in bulk.
1993-94	F ₅	A seven row X 3-meter plot was planted at Windfall and Ft. Branch, IN. Fifty spikes were harvested from each selected plot and threshed individually.
1994-95	F ₆	Twenty headrows of each F ₅ selection were grown at Windfall and Ft. Branch, IN. Selected rows were cut and threshed individually. This selection was made at Windfall.
1995-96	, F ₇	Preliminary yield testing of an F_5 selection from an F_6 headrow. This selection designated WBL0476D1.

1996-97	F ₈	Advanced yield testing of WBL0476D1. 200 individual spikes were harvested from a small bulk increase.
1997-98	F ₉	Elite yield testing of WBL476D1. 200 purification headrows planted, offtype rows destroyed prior to maturity, 108 of the remaining rows were individually cut and threshed. Two spikes were taken from each harvested row.
1998-99	F ₁₀	Elite yield testing continues of WBL0476D1. Seed from purification headrows planted in individual progeny plots which surround 200 headrows. Offtype plots and headrows destroyed prior to harvest. Equal number of spikes harvested from remaining progeny plots for a total of 1000 spikes. Progeny plots harvested in bulk which constitutes Breeder Seed. Bulk seed, headrow bulks, and spikes turned over to Pioneer's Parent Wheat Seed Group.
1999-2000	F ₁₁	Elite yield testing continues, line now designated YW598. Seed increase continues by Pioneer Parent Wheat Seed Group.
2000-01	F ₁₂	Elite yield testing continues, line designation now XW598. Seed increase continues by Pioneer Parent Wheat Seed Group.

Decision to release WBL0476D1 was made in August, 2001 at which time the commercial code, 25R23 was assigned.

The cultivar 25R23 was bred and selected for any and all of the following characteristics in the field environment: disease resistance, plant type, plant height, head type, straw strength, maturity, grain yield, test weight, and milling and baking characteristics.

25R23 has been shown to be uniform and stable since the 7th generation, or for the last 5 generations. Variants are limited to slightly taller plants, awnless plants or earlier heading plants, at a frequency no greater than 1/15,000 in total.

Revised December 2001

18 B. Exhibit B. Statement of Distinctness

25R23 is most similar to Pioneer variety 2540 but with the following distinguishing characteristics:

- 1. The coleoptile color of 25R23 is white while that of 2540 is purple.
- 2. The glume beak length of 25R23 is medium while that of 2540 is long.
- 3. The reaction of 25R23 to leaf rust (*Puccinia triticinia*) is moderately resistant while that of 2540 is susceptible. See below table.

Leaf rust ratings:

•		YEAR		
	1998	1999	2000	Total
25R23	5.0	7.6	7.2	6.9
2540	4.3	5.5	4.6	4.9

# Locations	2	4	4	10
# Replications	3	7	9	19
Probability	0.5	0.026	0.009	0.000

Scale of 1-9 where 9 = excellent or resistant, 1 = poor or susceptible.

Data collected at locations of Ridgeway, IL; Westport, IN; and Windfall, IN (early and late plantings).

Probability is the significance level of the difference between the two values.

REPRODUCE LOCALLY. Include form number and date on all reproductions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 2.5 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

(Wheat)

OBJECTIVE DESCRIPTION OF VARIETY WHEAT (Triticum spp.)

NAME OF APPLICANT(S)				FOR OFFICIAL U	SE ONLY		
Pioneer Hi-Br	red Internationa	l, Inc.		PVPO NUMBER			_
ADDRESS (Street and No. or RD No.,	City, State, and Zip Code)			 	2001	58500	
Wheat Researc	 _		VARIETY NAME 25R23				
3850 N. 100 E Windfall, IN			TEMPORARY OR	EXPERIMENT.	AL DESIGNATION		
Place a zero in the first box (e.gminimum of 100 plants. Com	RUCTIONS CAREFULLY: Place g. 0 9 9 or 0 9) when nu parative data should be determined mate system used: Munsel	umber is either 99 or less or 9 or le from varieties entered in the sam	ess respectively. Data e trial. Royal Horticu for Plant	for quantitative Itural Society or Tissues	plant characte any recognize	ers should be based on a ed color standard may be	used
1. KIND:	,					4, ,	-
1	1=Common	2=Durum	3=Club		4=Other ((SPECIFY) :	
2. VERNALIZATION	V:						
2	1=Spring	2=Winter	3=Other (SPI	ECIFY) :			
3. COLEOPTILE AN	THOCYANIN:						
1	1=Absent	2=Present					
4. JUVENILE PLANT	GROWTH:						
2	1=Prostrate	2=Semi-erect	3=Erect				
5. PLANT COLOR (I	ooot stage):						
2	1 = Yellow-Green	2 = Green	3 = Blue-Gree	n			
6. FLAG LEAF (boot	stage):						
1	1 = Erect	2 = Recurved	2	1 = Not 7	Twisted	2 = Twisted	
7. EAR EMERGENCI	Ε:						
	Number of Days Earlier	Than				*	
1	Number of Days Later 7	Than 2540			. <u></u>	*	

8.	ANTHER COLOR:	
	1 = Yellow	2 = Purple
9.	PLANT HEIGHT (from soil to top of head, excluding	awns):
	cm Taller Than 254	•
	cm Shorter Than	*
		* Relative to a PVPO-Approved Commercial Variety Grown in the Same Trial
10.	STEM:	
	A. ANTHOCYANIN	D. INTERNODE (SPECIFY NUMBER)
	1 1= Absent 2=Present	1 1= Hollow 2=Semi-solid 3=Solid
	B. WAXY BLOOM	E. PEDUNCLE
	1=Absent 2=Present	2 1=Absent 2=Present
	C. HAIRINESS (last internode of rachis)	27 cm Length
	2 1=Absent 2=Present	
11.	HEAD (at Maturity):	
	A. DENSITY	C. CURVATURE
	2 1=Lax 2=Middense 3= Dense	$\boxed{3} 1 = \text{Erect} \qquad \qquad 2 = \text{Inclined} \qquad \qquad 3 = \text{Recurved}$
	B. SHAPE	D. AWNEDNESS
	1 = Tapering 2= Strap 3 = Clavate 4 = Other (SPECIFY):	$ \begin{array}{ c c c } \hline 4 & 1 = Awnless & 2 = Apically Awnletted \\ 3 = Awnletted & 4 = Awned \end{array} $
-		
12.	GLUMES (at Maturity):	
	A. COLOR	C. BEAK
,	2 1 = White 2 = Tan	1 = Obtuse 2 = Acute 3 = Acuminate
	3 = Other (SPECIFY) :	
,	B. SHOULDER	D. LENGTH
	3 = Rounded 2 = Oblique 3 = Rounded 4 = Square 5 = Elevated 6 = Apiculate	1 = Short 2 = Medium (ca. 7mm) (ca. 8mm) 3 = Long (ca. 9mm)

12. GLUMES (at Maturity) Continued:

E. WIDTH

1 = Narrow (ca. 3mm)2 = Medium (ca. 3.5mm)3 3 = Wide (ca. 4mm)

13. SEED:

A. SHAPE

C. BRUSH

1 = Ovate 2

2 = Oval

3 = Elliptical

1=Short 1

2=Medium

3=Long

1 = Not Collared

2 = Collared

B. CHEEK

1=Rounded 2=Angular D. CREASE

1 = Width 60% or less of Kernel

2 = Width 80% or less of Kernel

3 = Width Nearly as Wide as Kernel

1 = Depth 20% or less of Kernel

2 = Depth 35% or less of Kernel

G. PHENOL REACTION (see instructions):

3 = Depth 50% or less of Kernel

E. Color

1=White 2= Amber 3=Red 3 4= OTHER (Specify)

1 = Ivory

2 = Fawn

3 = Light Brown

4 = Dark Brown

5 = Black

F. TEXTURE

1=Hard

2=Soft

14. DISEASE:

(0=Not Tested;

1=Susceptible;

2=Resistant;

3=Intermediate;

4=Tolerant)

PLEASE INDICATE THE SPECIFIC RACE OR STRAIN TESTED

- 0 Stem Rust (Puccinia graminis f. sp. tritici)
- 3

Leaf Rust (Puccinia recondita f. sp. tritici)

Field races

0 Stripe Rust (Puccinia striiformis)

Field races

- 0
- Loose Smut (Ustilago tritici)

- 3
- Tan Spot (Pyrenophora tritici-repentis)
- 0
- Flag Smut (Urocystis agropyri)

- 0
- Halo Spot (Selenophoma donacis)
- 0
- Common Bunt (Tilletia tritici or T. laevis)

- 3
- Septoria nodorum (Glume Blotch) Field races
- 0
- Dwarf Bunt (Tilletia controversa)

- Septoria avenae (Speckled Leaf Disease)
- Karnal Bunt (Tilletia indica)

- Septoria tritici (Speckled Leaf Blotch) Field races
- Powdery Mildew (Erysiphe graminis f. sp. tritici) Field races


- Scab (Fusarium spp.)

"Snow Molds" 0

14.	Disease	(Continued)	(0=Not Tested;	1=Susceptibl	le; 2=	=Resistant;	3=Intermediate;	4=Tolerant)
			PLEASE IN	DICATE THE	SPEC	IFIC RACE	OR STRAIN TESTI	ED
4.	0	"Black Point" ((Kernel Smudge)		0	Common l <i>Bipolaris</i> s	Root Rot <i>(Fusarium</i> pp. <i>)</i>	, <i>Cochliobolus</i> and
	0	Barley Yellow I	Dwarf Virus (BYD)	V)	0	Rhizocton	ia Root Rot (Rhizoc	tonia solani)
	4	Soilborne Mosa Field r	nic Virus (SBMV) aces		0	Black Cha	ff (Xanthomonas ca	impestris pv. translucens)
	4	Wheat Yellow (Field:	Spindle Streak) Mo races	saic Virus	0	Bacterial I syringae)	Leaf Blight <i>(Pseudo</i>	monas syringae pv.
•	0	Wheat Streak N	Aosaic Virus (WSM	IV)		Other (SP	ECIFY)	
		Other (SPECIA	Ŧ Y)			Other (SP	ECIFY)	
·		Other (SPECIF	FY)			Other (SP	ECIFY)	
· · · · · · · · · · · · · · · · · · ·		Other (SPECIF	F Y)	·		Other (SP	ECIFY)	
15. I	NSECT:	(0=Not Test	ed; 1=Susceptibl	e; 2=Resista	ant;	3=Intermedi	ate; 4=Tolerant)	
			PLEASE	SPECIFY BIO	TYPE	(where need	ed)	
	1	Hessian Fly (Me Biotype:	ayetiola destructor) s E & L			Other (SP	ECIFY)	
	0	Stem Sawfly (C	ephus spp.)			Other (SP	ECIFY)	
	0	Cereal Leaf Bee	tle <i>(Oulema meland</i>	ppa)		Other (SP.	ECIFY)	
	0	Russian Aphid	(Diuraphis noxia			Other (SP	ECIFY)	
	0	Greenbug <i>(Schi</i>	zaphis graminum)			Other (SP)	ECIFY)	
	0	Aphids				Other (SP)	ECIFY)	
16. A	DDITION	AL INFORMAT	TION ON ANY ITE	M ABOVE, O	R GEN	ERAL COM	MENTS	

WHEAT DESCRIPTOR ILLUSTRATIONS

Section numbers correspond to the numbers of the sections on the form.



REFERENCE

Briggle, L.W. and L.P. Reitz. 1963. <u>Classification of Triticum Species and of Wheat Varieties Grown in the United States</u>. Technical Bulletin 1278. United States Department of Agriculture.

Revised December 2001

18D. Exhibit D. Additional Description of the Variety

1. Yield and Agronomic information.

Preliminary yield testing of 25R23 began in the 1995-96 growing season and wide scale testing has been conducted from the 1996-97 growing season to the present. It has shown adaptation to the northern soft wheat regions based on tests conducted in Missouri, Illinois, Indiana, Ohio, and Michigan (Table 1).

2. Information on reaction to major diseases.

Leaf rust – Intermediate resistance to prevalent races in the northern soft wheat region.

Powdery mildew – Resistant to the prevalent isolates of powdery mildew present in the soft wheat region.

Soilborne and wheat spindle streak mosaic virus – Tolerant to both viruses.

Leaf blights – Intermediate resistance to the complex of most common organisms that cause leaf blights including: *Septoria tritici* blotch, *Stagnospora nodorum* blotch, and tan spot.

Fusarium head blight – Intermediate resistance.

3. Information on reaction to major insects.

Hessian fly – susceptible to the predominant biotypes of Hessian fly in the northern soft wheat region. Has screened susceptible to biotypes E, and L in tests conducted by the Dept. of Entomology, Purdue University, in conjunction with the USDA-ARS Insect and Weed Control unit.

4. Information on Milling and Baking Qualities.

25R23 has demonstrated above average milling and below average baking qualities (Table 2).

Table 1. Varietal performance and agronomic characteristics from Pioneer Elite yield tests during the period 1998-2001.

Variety	Grain	Test	Straw	Plant	Heading	Powdery	Leaf	Leaf	SSMV	SBMV
	Yield	Weight	Lodging	Height	Date	Mildew	Rust	Blight		
	bu/ac	lb/bu	1-9 [@]	cm	Jan. 1	1-9 [@]				
25R23	94.5	57	6.5	101.9	130.6	8.0	6.5	7.4	8.3	7.0
2540	89.1	56.6	5.4	99.6	129.8	7.8	4.8	4.3	7.4	6.5
25R26	90.5	55.8	5.9	96.3	129.9	6.3	8.9	3.5	7.9	7.5
25R57	89.3	56.4	6.3	101.3	126.6	7.8	6.3	4.8	4.5	3.0
Isd (P=0.05)	2.26	0.48	1	2.55	0.87	0.94	0.85	1.12	0.8	1.33
environments	91	83	15	14	16	4	10	8	12	4
years	4	4	3	4	4	1	3	2	2	3

@' Scale of 1 - 9 where 9 = excellent or resistant, 1 = poor or susceptible.

SBMV data gathered at the University of Illinois SBMV nursery.

Data in above table gathered at Carlisle, IN, Ft. Branch, IN, Howe, IN, Westport, IN, Altamont, IL, Mascoutah, IL, Ridgway, IL, Blissfield, MI, Truxton, MO, Bucyrus, OH, Greenville, OH and Hamler, OH.

Table 2. Soft wheat quality data from the Pioneer Quality Lab in Johnston, IA 1997-2000.

Variety	Flour Yield	Break Fir Yid	Flour Protein	AWRC	Cookie Diam.	Milling Score	Bake Score
	%	%	%	%	cm	1-9 [@]	1-9 [@]
25R23	73.3	40.0	8.0	58.3	18.3	8	3
2540	70.2	38.4	8.8	55.8	19.0	5	6
25R26	71.9	38.5	8.6	56.0	18.2	6	3
25R57	70.8	38.8	8.4	53.8	19.0	6	7
# observ	7 (12-14)	7 (14-16)	7 (14-16)	7 (14-16)	7 (14-16)		

Number of obsestvations - values in parentheses are for check varieties.

Trait abbreviations used in the above table:

AWRC = Alkaline Water Retention Capacity.

Cookie = Cookie diameter in cm.

Milling score = a score which weights flour yield 60% and break flour yield 40%.

(1 = poor, 9 = excellent)

Baking score = a rating which weights cookie spread 60% and AWRC 40%.

(1 = poor, 9 = excellent)

REPRODUCE LOCALLY. Include form number and edition date on al	I reproductions.	FORM APPROVED - OMB No. 0581-0055			
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). The information is held confidential until the certificate is issued (7 U.S.C. 2426).				
STATEMENT OF THE BASIS OF OWNERSHIP 1. NAME OF APPLICANT(S) Pioneer Hi-Bred International, Inc.	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME 25R23			
The ST TEN CONTROL TO STATE OF THE STATE OF	The second secon				
4. AODRESS (Street and No., or R.F. D. No., City, State, and ZIP, and Country)	5. TELEPHONE (hotson area code)	6. FAX (include area code)			
Crop Genetics Research & Development Wheat Research	(765) 945-7906	(765) 945-8313			
3850 N. 100 E.	7. PVPO NUMBER				
Windfall, IN 46076-9389	70	0100282			
8. Does the applicant own all rights to the variety? Mark an "X" in the	ne appropriate block. If no, please exp	olain X YES			
9. Is the applicant (individual or company) a U.S. National or a U.S.	based company? If no, give name of o	country X YES NO			
10. Is the applicant the original owner? X YES NO	If no, please answer <u>one</u> of the fo	llowing:			
a. If the original rights to variety were owned by individual(s), is	(are) the original owner(s) a U.S. Nation	nal(s)?			
YES NO	of no, give name of country				
b. If the original rights to variety were owned by a company(ies)), is (are) the original owner(s) a U.S. ba	ased company?			
YES NO	If no, give name of country				
11. Additional explanation on ownership (If needed, use the reverse	for extra space):	· · · · · · · · · · · · · · · · · · ·			
PLEASE NOTE:					
Plant variety protection can only be afforded to the owners (not licen	sees) who meet the following criteria:				
If the rights to the variety are owned by the original breeder, that p national of a country which affords similar protection to nationals of the rights of the right	person must be a U.S. national, national of the U.S. for the same genus and spec	of a UPOV member country, or ities.			
If the rights to the variety are owned by the company which emplo nationals of a UPOV member country, or owned by nationals of a genus and species.	yed the original breeder(s), the compan country which affords similar protection	y must be U.S. based, owned by to nationals of the U.S. for the same			
3. If the applicant is an owner who is not the original owner, both the	original owner and the applicant must n	neet one of the above criteria.			
The original breeder/owner may be the individual or company who di Act for definitions.	irected the final breeding. See Section	41(a)(2) of the Plant Variety Protection			
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor	and a person is not required to respond to a self-self	ion of information unloss it displays a well-f OMP			

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 6 minutes per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.